

Invitation to tender text:

Manufacture of playing field and running track surfaces in accordance with DIN 18035 T 5

1. _____ m² ____ cm filter layer manufacture (as required) in accordance with DIN 18035.
Install frost-protection gravel 0-32 mm profile-related and compact statically stable with suitable roller.
2. _____ m² 15 cm support layer in accordance with DIN 18035 from GELSENROT-PORLITH 0-3
Install profile-related and compact statically stable with suitable roller
3. _____ m² 6 cm dynamic layer from GELSENROT-PORLITH 0-15,
Supply free to construction site with test certificate in accordance with DIN 18035 Part 5,
and apply in moist status uniformly and profile-related and compact. Through levelling,
required slopes to be verified in accordance with DIN.
4. _____ m² 4 cm deck layer from GELSENROT 0-3, quality monitored RAL-GZ 515/1, with test
certificate in accordance with DIN 18035 Part 5, supply free to construction site and
apply in moist status in minimum thickness 4 cm (compacted status) uniformly and
profile-related, compact and prepare to be competition-capable. Through levelling,
required slopes to be verified in accordance with DIN.

All specifications are to be documented for the test of the material equivalence through a test certificate from an independent testing institute.

The billing is implemented by delivery note.

Manufacturer:

GELSENROT Spezialbaustoffe GmbH
Engelbertstrasse 16
45892 Gelsenkirchen
Telephone (02 09) 7 00 08-0
Telefax (02 09) 7 00 08 -99

or equivalent.